

SLIPPED CAPITAL FEMORAL EPIPHYSIS FIXATION SCREW (SCFEFS)

**Inventor: Robert E. Means, Jr.
Citizenship: United States of America
Residence: 4215 Belvieu Ave.
Baltimore, Maryland
21215.**

Cross reference

**My invention claims the benefit of the application
described as the cannulated fixation screw, identified
by the application number: 712414
With the filing date: June 10, 1991**

Background

**This invention is classified as an Orthopaedic fixation
device used to maintain fractured bone positions frequently
after trauma and/ or manipulation .**

**The Slipped Capital Femoral Epiphysis Fixation Screw
is a design that addresses the unique problem of fixating a
pediatric hip fracture while allowing continued growth at
the epiphyseal plate.**

Summary of Invention

**The Slipped Capital Femoral Epiphysis Fixation Screw is
an innovation addressing the problem of appropriate screw
thread length necessary to both fixate a Salter classified
epiphyseal plate fracture or subluxation ,and eliminate
growth obstruction at the epiphyseal plate site.**

Previous lower extremity long bone fixation screws are designed with thread lengths greater than 4 threads. The standard doctrine in fixation of SCFE is to prevent screw thread bridging of the epiphyseal plate. Translation of thread length across the epiphyseal plate prevents continued growth, and subsequent elongation of the femoral neck in accordance with standard development of the hip.

The SCFEFS is a unique screw with a characteristically short screw length. The screw head is comprised of 2 to 3 anchoring threads at the end of a cannulated barrel, flanked on both ends of the anchoring threads by $\frac{1}{2}$ cutting threads.

The short thread lengths enables placement of the screw head within the confines of the epiphysis thus allowing continued epiphyseal plate bone production and femoral neck growth.

Proposed screw lengths will generally range in the 60mm to 100mm range.

Current conventional screw barrel diameters are 4.5mm and 6.0mm, suitable for small and large frame pediatric patients respectively.

There are current screws manufactured with short thread lengths, but have short screw lengths and small diameters for small bone fixation applications unsuitable for treatment of femoral head and neck fractures.

No current fixation screw has the dimensions of length and diameter necessary in the treatment of hip epiphyseal

plate fractures while enabling fixation without obstructing epiphyseal growth patterns.

This appliance ensures secure fixation and unimpeded growth while the epiphyseal plate fracture healing is completed.

The cutting threads allow expedient screw removal when extraction is indicated.

Description of Drawings

The figures depicted are three drawings showing the screw in cross section, enlarged anchoring head view, and the fixation screw as it would appear positioned in an anatomically correct drawing of a pediatric proximal femur.

Figure 1. show the cross sectional view presenting a barreled shaft describing the inside and outside diameters, screw attachment head for facilitating insertion and removal of the screw with a screw driver, and the anchoring screw head.

Figure 2. show an enlarged view of the anchoring screw head. Two to three full threads are proposed. A one half thread on both ends of the full length threads aids in advancing and retracting the screw for insertion and extraction as needed.

Figure 3. show the pediatric proximal femur in coronal view . The epiphyseal plate is the site of subluxation or dislocation that can occur in Slipped Capital Femoral Epiphyseal pathology. In treating this problem; the epiphysis is fixed in place with anchoring threads, ideally without crossing the epiphyseal plate with a threaded barrel. This figure 3. show the fixation screws with the epiphysis anchored in place by the anchoring threads. The epiphyseal plate is traversed by smooth non-threaded barrel.

Detailed Description Of The SCFEFS

This invention is an improvement of an established cannulated fixation screw.

The current long bone fixation screws do not address the unique situation and structure of the pediatric proximal femur fracture at the epiphyseal plate.

By combining a cannulated barrel with a contracted anchoring fixation head, fixation of a femoral neck fracture can be achieved without impeding femoral neck growth.